

NAME

ttf2afm – utility to generate AFM files for TrueType fonts

SYNOPSIS

ttf2afm [*OPTION...*] *FONTFILE*

DESCRIPTION

ttf2afm is used to generate Adobe Font Metrics (AFM) files for TrueType (TTF) fonts to allow them to be used with TeX.

ttf2afm takes the name of a TrueType font file as a required argument. It may also take one or more options from the list below (note that **-d** and **-h** are mutually exclusive).

OPTIONS

- a** print all glyphs
- i** read names in encoding vector in form ‘*indexnum*’
- d** print glyph names in the form ‘*indexdecimal_num*’
- h** print glyph names in the form ‘*indexhex_num*’
- c name**
print encoding tables to file *name.eMN*, where *M* is the platform number and *N* is the encoding
- e enc** use encoding from file *enc*
- o output**
output to file *output* instead of stdout

Platform numbers can be one of

- 0 Apple Unicode
- 1 Macintosh
- 2 ISO
- 3 Microsoft

Encodings can be

- 0 Roman (if platform is Macintosh)
- 0 Symbol (if platform is Microsoft)
- 1 Unicode (if platform is Microsoft)

BUGS

None known, but submit bug reports to <pdfTeX@tug.org> (mailing list).

AUTHOR

ttf2afm is part of pdfTeX and was written by Han The Thanh <thanh@informatics.muni.cz>.

This manual page was written by C.M. Connelly <cmc@debian.org>, for the Debian GNU/Linux system. It may be used by other distributions without contacting the author. Any mistakes or omissions in the manual page are my fault; inquiries about or corrections to this manual page should be directed to me (and not to the primary author).