

NAME

`texfind` – graphical tool to search for text in TeX input files

SYNOPSIS

`texfind` [*OPTION* ...]

DESCRIPTION

texfind is a graphical, interactive tool that helps you searching through TeX input files, including subdirectories, and allows you to do search/replace tasks using **perl**(1) regular expressions. It opens two windows: One displays the directory hierarchy and allows to select different search directories. The second window is used to enter the query and display the results.

SEARCHING

Enter a search string in the input box at the top, choose the file extension (*tex* by default) and hit ENTER to start the search. The results will be displayed in the rest of the window.

The search string is a perl regular expression (see **perlre**(1)), which gives you lots of flexibility. The search-and-replace function also uses perl regex syntax, but you can also just use simple strings. Currently there is no way to save changed files.

MENU

Use the right mouse button to open a menu.

File : Currently only used to exit the program

Edit : Copy selections, select or unselect all

Search : Open a **Find** dialog that allows further searching through the displayed results. The **Replace** option can be used to replace single or all occurrences of a string, but currently it is not possible to change the file.

View : Select specific lines, and adjust word or character wrapping.

OPTIONS

--font : specify the font used for the menu. Default is courier.

Other options probably exist. I appreciate input by the program authors, experienced users, or Perl geeks.

SEE ALSO

perl(1), **perlre**(1), **texmfstart**(1).

[ConTeXt wiki](http://www.contextgarden.net) `<http://www.contextgarden.net>`.

BUGS

If the *texfind* wrapper script is not installed, then you may have to run **texfind** as follows:

```
texmfstart texfind.pl [ options ]
```

See **texmfstart**(1).

The replace function isn't the most useful one.

AUTHOR

texfind was written for the ConTeXt package by Hans Hagen and Ton Otten, PRAGMA.

This manual page was written by Frank Küster <frank@kuesterei.ch> for the Debian GNU/Linux system, and modified by Sanjoy Mahajan <sanjoy@mit.edu>. It may be used and modified by others without contacting the authors.